











NET15-2130300C

NOTES：(UNLESS OTHERWISE SPECIFIED)
1. MATERIAL：SGCC ; T=0.80±5%
2. BREAK ALL SHARP CORNERS AND EDGES.
   ALL SURFACES AND EDGES TO BE ADEQUATE
   FOR SAFE HANDLING PER UL SAFETY SPECIFICATION 1439.
3. FINISH:PAINT PER PANTONE PMS 433U (Powder Coatings)
4. PRINT: NONE
5.TOLERANCES：
   BEND TO BEND：±0.25mm
   EDGE TO BEND：±0.15mm
   SLOT TO BEND：±0.15mm
   SLOT TO SLOT：±0.10mm
   SLOT TO EDGE：±0.10mm
   EDGE TO EDGE：±0.10mm
6. THE MAIN DIMENSION IS WHAT THE DIMENSIONS WITH ▲ MARK
7. MUST MEET DELTA's SPEC :10000-0162 & 10000-0002 & 10000-0094
8. MUST MEET CTQ DIMENSION

台達電子工業股份有限公司
DELTA ELECTRONICS, INC.

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF DELTA ELECTRONICS, INC. AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SELL OF APPARATUSES OR DEVICES WITHOUT PERMISSION.

DRN BY	Ethan Chan	08/15/'16
DSN BY		
CKD BY	Ken Chu	08/15/'16
PART NAME	TOP COVER	
USED ON	AGC7648-R (ET-7648BFRC-R)	

DIMENSIONAL TOLERANCES

	( )	( )	( )	( )	( )
0 ~ 25	±0.02	±0.05	±0.1	±0.2	±0.4
26 ~ 80	±0.05	±0.08	±0.15	±0.3	±0.8
81 ~ 200	±0.08	±0.12	±0.25	±0.5	±1.0
201 ~ 400	±0.12	±0.2	±0.3	±1.0	±2.0
401 ~	±0.2	±0.3	±0.4	±1.5	±4.0

PART NO.	3991242000		
UNIT: mm			REV.
SCALE: NONE			00
ANGULAR: ±0.5 DEG		1 OF 1	